1. PRODUCT AND COMPANY IDENTIFICATION		
Product Name:	Bio-Oxygen Chem Decon 50/50	
Company Name:	Artemis Bio-Solutions, LLC	
	14505 Torrey Chase Blvd Suite 205 Houston, TX 77014	
Email address:	info@artemisbiosolutions.com	
Emergency Contact:	AAPCC Poison Help	+1 (800)424-9300
	INFOTRAC (US Transportation)	+1 (800)535-5053
	CANUTEC (Canadian Transportation	+1 (613)996-6666
Intended Use:	Use-solution of EPA-registered antimicrob	pials 90920-1 and 90920-2

2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 1 Skin Corrosion/Irritation, Category 1B

Λ

GHS Signal Word:	Danger
GHS Hazard Phrases:	H314 - Causes severe skin burns and eye damage.
	H318 - Causes serious eye damage.
GHS Precautionary Phrases:	P260 - Do not breathe mist/vapors/spray.
	P264 - Wash hands thoroughly after handling.
	P280 - Wear protective gloves/protective clothing/eye protection.
GHS Response Phrases:	P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated
	clothing. Rinse skin with water/shower. P363 - Wash contaminated clothing before reuse.
	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a
	POISON CENTER or doctor/physician.
GHS Storage and Disposal Phrases:	P405 - Store locked up. P501 - Dispose of contents and containers in accordance with local, regional, national, and international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
584-08-7	Potassium carbonate	2.5 -7.5 %
7722-84-1	Hydrogen peroxide	3.95 %
57-55-6	Propylene glycol	1.25 -3.75 %
7664-38-2	Phosphoric acid	< 2.5 %
8030-78-2	Quaternary ammonium compounds, trimethyltallow alkyl, chlorides	0.5 -2.0 %
68424-85-1	Alkyl(C12-C16) dimethylbenzylammonium chloride	1.6 %
34590-94-8	Dipropylene glycol methyl ether	0.5 -1.5 %
68439-46-3	Alcohol ethoxylate	< 1.25 %

Additional Composition	**If Chemical Name/CAS No is "N/A" and/or Weight-% is listed as a range, the specific
Information:	chemical identity and/or percentage of composition has been withheld as a trade
	secret.**

4. FIRST AID MEASURES

Emergency and First Aid Procedures:	
In Case of Inhalation:	If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid.
In Case of Skin Contact:	Wash off with soap and plenty of water. Remove and wash contaminated clothing before reuse. If skin irritation or rash occurs, seek medical advice/attention.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do after 5 minutes and continue rinsing for an additional 15 minutes. Get medical attention immediately.
In Case of Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth and slowly drink several glasses of water. Get medical aid if irritation develops and persists.
Note to Physician:	Treat symptomatically and supportively. Show this safety data sheet to the doctor in attendance.

	5. FIRE FIGHTING MEASURES	
Flash Pt:	NA Method Used: Not Applicable	
Explosive Limits:	LEL: No data. UEL: No data.	
Autoignition Pt:	NA	
Suitable Extinguishing Media:Use water. Do not use dry chemicals or foams. CO2 or Halon may provide limited control.		
Fire Fighting Instructions:	Evacuate area and fight fire from a safe distance. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH approved (or equivalent), and full protective gear.	
Flammable Properties and Hazards:	Remove containers from fire area if you can do so without risk. Cool containers with water spray until well after the fire is out. Increases the flammability of readily oxidizable, combustible, and organic materials.	
Hazardous Combustion Products:	High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide, and oxides of: nitrogen, phosphorus, Decomposition produces oxygen which support combustion.	

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures:	Use proper personal protective equipment as indicated in Section 8.
Environmental Precautions:	Avoid dispersal of spilled material and runoff from making contact with soil, waterways, drains and sewers. Do not allow uncontrolled discharge of product into the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.
Steps To Be Taken In Case Material Is Released Or Spilled:	Ensure adequate ventilation. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent further leakage or spillage if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Following product recovery, flush area with water.

	7. HANDLING AND STORAGE
Precautions To Be Taken in Handling:	Keep away from heat, sparks and flame. Keep away from sources of ignition - No smoking. Avoid contact with eyes, skin, and clothing. Do not eat, drink, or smoke when using. Do not ingest or inhale. Wash thoroughly after handling.
Precautions To Be Taken in Storing:	Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from heat, sparks and flame. Store in original container. Protect containers against damage. Keep container closed to prevent drying out. Protect from sunlight. Store at temperatures not exceeding 60°C/140°F.
Other Precautions:	Handle in accordance with good industrial hygiene and safety practices. Keep out of reach of children.
8. EXPOSURE CONTROLS/PERSONAL PROTECTION	

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
7722-84-1	Hydrogen peroxide	NIOSH	TWA: 1.4 mg/m3 (1 ppm)	
		OSHA PELs	PEL: 1 ppm	
57-55-6 F	Propylene glycol	OSHA PELs	PEL: 10 mg/m3	
7664-38-2	Phosphoric acid	NIOSH	TWA: 1 mg/m3	
			STEL: 3 mg/m3	
		OSHA PELs	PEL: 1 mg/m3	
34590-94-8	Dipropylene glycol	ACGIH TLV	TLV: 100 ppm STEL: 150 ppm	
meanyr earer		NIOSH	TWA: 600 mg/m3 (100 ppm)	Skin Absorption
		NICOT	STEL: 900 mg/m3 (150 ppm)	
		OSHA PELs	PEL: 100 ppm	
Respirator	y Equipment	Not required under norm	nal conditions of use with adequate ventilation.	
(Specify Ty	/pe):	·		
Eye Protec	tion:	Wear safety glasses wit	h side shields. If splash is likely, goggles may be n	eeded.
Protective	Gloves:	Wear appropriate protect	ctive gloves to prevent skin exposure.	
Other Prot	ective Clothing:	Wear appropriate protect	ctive clothing to minimize contact with skin.	
Engineerin	g Controls	Facilities storing or utilizing this material should be equipped with an eyewash facility,		
(Ventilation	n etc.):	and a safety shower is r	ecommended.	
Work/Hygi	enic/Maintenance	Handle in accordance w	ith good industrial hygiene and safety practice. Wa	ash hands
Practices:		before breaks and at the end of workday.		
Environme	ental Exposure	Avoid discharge into dra	ins, water courses or onto the ground. Do not allow	w uncontrolled
Controls:		discharge of product into the environment.		
	9.	PHYSICAL AND	CHEMICAL PROPERTIES	
Physical S	tates:	[] Gas [X] Liquid	[] Solid	
Appearance	e and Odor:	Appearance: Clear. Liqu	iid. Colorless to pale yellow.	
		Odor: Slightly. Soap-like).	
pH:		~ Neutral		
Freezing P	oint:	NA		
Boiling Po	int:	NA		
Flash Pt:		NA Method Used: No	ot Applicable	
Evaporatio	on Rate:	ate: Not available		
Flammabil	ity (solid, gas):	ty (solid, gas): No data available.		
Explosive	Limits:	LEL: No data.	UEL: No data.	
Vapor Pres	ssure (vs. Air or	Not available		

Vapor Density (vs. Air = 1):Not availableSpecific Gravity (Water = 1):~ 1 - 1.020at 20.0 C (68.0 F)Density:~ 8.4 LB/GA at 20.0 C (68.0 F)Solubility in Water:Complete
Specific Gravity (Water = ~ 1 - 1.020 at 20.0 C (68.0 F) 1):
1): ~ 8.4 LB/GA at 20.0 C (68.0 F) Solubility in Water: Complete
Density:~ 8.4 LB/GA at 20.0 C (68.0 F)Solubility in Water:Complete
Solubility in Water: Complete
Saturated Vapor Not available
Concentration:
Octanol/Water Partition No data.
Coefficient:
Autoignition Pt: NA
Decomposition No data.
Temperature:
Viscosity: Not available
Evelopius Droportion Not symposius
Explosive Properties: Not explosive.
Information with regard to primary physical hazard:

10. STABILITY AND REACTIVITY		
Reactivity:	Not reactive at normal temperatures and pressures.	
Stability:	Unstable [] Stable [X]	
Conditions To Avoid -	Heat, flames and sparks. Extremes of temperature and direct sunlight.	
Instability:	Stable under recommended handling and storage conditions.	
Incompatibility - Materials To Avoid:	Heavy metal salts, strong alkalis, combustible materials.	
Hazardous Decomposition or Byproducts:	r High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide, toxic vapors/fumes of. amines, and oxides of: nitrogen, phosphorus, Decomposition produces oxygen which support combustion.	
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]	
Conditions To Avoid - Hazardous Reactions:	No data available.	

	11. TOXICOLOGICAL INFORMATION		
Toxicological Information:	Epidemiology: No information available.		
U	Teratogenicity: No information available.		
	Reproductive Effects: No information available.		
	Mutagenicity: No information available.		
	Neurotoxicity: No information available.		
	Other Studies: CAS# 67-63-0:		
	Acute toxicity, LD50, Oral, Rat, 5045 mg/kg.		
	Other Studies: CAS# 68424-85-1:		
	Acute toxicity, LD, Oral, Rat,426 mg/kg.		
	Other Studies: CAS# 68439-46-3:		
	Acute toxicity, LD50, Oral, Rat, 1378 mg/kg		
	Acute toxicity, LD50, Skin, Rabbit, > 2 g/kg.		
	Other Studies: CAS# 7664-39-3:		
	Acute toxicity, LC50, Inhalation, Rat, 1276ppm, 1 H.		
	Other Studies: CAS# 7664-39-3:		
	Standard Draize Test, Eyes, Species:Human, 50 mg.		
Irritation or Corrosion:	Causes skin irritation.		
	Causes serious eye damage.		
Symptoms related to	Skin Contact: May cause severe irritation and local redness.		
Toxicological	Inhalation: May cause respiratory tract irritation and coughing.		
Characteristics:	Ingestion: May cause nausea and vomiting.		
	Eye Contact: May cause severe irritation, tearing, and redness.		
Sensitization:	Not expected.		
Chronic Toxicological Effects:	May cause severe eye damage. If left untreated, may cause injury to the cornea.		
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No		
12. ECOLOGICAL INFORMATION			
General Ecological	Environmental: No information available.		
Information:	Physical: No information available.		
	Other Studies: CAS# 67-63-0:		
	LC50, Water Flea (Daphnia magna), 10000 mg/L, 24H		
	LC50, Fathead Minnow (Pimephales promelas), 6550000 ug/L, 96H.		
	Other Studies: CAS# 68424-85-1:		
	LC50, Rainbow trout (Oncorhynchus mykiss), 1.600ppm, 96H		

LC50, Striped bass (Morone saxatilis), 2820 ug/L, fry, 24H.

	LC50, Fathead Minnow (Pimephales promelas), 8500 ug/L, 96 H.
	Other Studies: CAS# 7664-38-2:
	Not reported. Rainbow Trout (Oncorhynchus mykiss), fingerling, 5.190%, 27 W.
	Other Studies: CAS# 7722-84-1:
	LC50, Bluegill (Lepomis macrochirus), 26.7 ppm, 96H, juvenile
	LC50, Rainbow trout (Oncorhynchus mykiss), 207 ppm, 2H, fry.
Results of PBT and vPvB assessment:	No data available.
Persistence and Degradability:	No data available.
Bioaccumulative Potential:	No data available.

Other Studies: CAS# 68439-46-3:

Page: 6 of 7 Printed: 11/18/2022 Revision: 11/17/2022

Mobility in S	oil:	No data available.					
13. DISPOSAL CONSIDERATIONS							
Waste Disposal Method:		Dispose of contents and containers in accordance with local, regional, national, and international regulations. Avoid discharge into drains, water courses or onto the ground. The generation of waste should be avoided or minimized whenever possible.					
		14. TRANSPOR	T INFORMA	TION			
LAND TRAN DOT Prop DOT Haza UN/NA Nu	SPORT (US DOT er Shipping Nan rd Class: imber:): ne: NOT REGULATED FOR	R DOMESTIC TRA	ANSPORT.			
15. REGULATORY INFORMATION							
EPA SARA (S CAS # 584-08-7	uperfund Amendr Hazardous Com Potassium carbo	nents and Reauthorization Act ponents (Chemical Name) nate	: of 1986) Lists S. 302 (EHS) No	S. 304 RQ No	S. 313 (TRI) No		
7722-84-1	Hydrogen peroxi	de	Yes 1000 LB	Yes NA	No		
57-55-6	Propylene glycol		No	No	No		
7664-38-2	Phosphoric acid		No	Yes NA	No		
8030-78-2	Quaternary amm trimethyltallow al	onium compounds, kyl, chlorides	No	No	No		
68424-85-1	Alkyl(C12-C16) c chloride	limethylbenzylammonium	No	No	No		
34590-94-8	Dipropylene glyc	ol methyl ether	No	No	No		
68439-46-3	Alcohol ethoxyla	te	No	No	No		
CAS #	Hazardous Components (Chemical Name)		Other US EPA o	r State Lists			
584-08-7 7722-84-1	Potassium carbo Hydrogen peroxi	nate de	CAA HAP,ODC: Inventory; FIFR, CA PROP.65: No MI CMR, Part 5: No; PA HSL: No CAA HAP,ODC: Inventory; FIFR, CA PROP 65: No	No; CWA NPDES: A: Yes - Active - 073 o; CA TAC, Title 8: No; NC TAP: No; I o; SC TAP: No; WI No; CWA NPDES: A: Yes - Active - 000 o: CA TAC, Title 8:	No; TSCA: Yes - 3504: Am/CC, Inert: F/NF; No; MA Oil/HazMat: No; NJ EHS: No; NY Part 597: Air: No No; TSCA: Yes - 0595: Am/Bio/CC, Inert: NF; Title 8: MA Oil/HazMat:		
57-55-6	Propylene glycol		Yes; MI CMR, P NY Part 597: Yes Yes CAA HAP,ODC: Inventory; FIFR, F/NF/Fr; CA PR	Part 5: No; NC TAP: s: HS; PA HSL: Yes No; CWA NPDES: A: Yes - Active - 068 OP.65: No; CA TAG	No; NJ EHS: Yes - 1015; s - E; SC TAP: No; WI Air: No; TSCA: Yes - 3603: Am/CC, Inert: C, Title 8: No; MA		
7664-38-2	Phosphoric acid		Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; FIFRA: Yes - Active - 076001: Am/CC, Inert: F/NF; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIb, Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: No; NY Part 597: Yes: HS; PA HSL: Yes - E; SC TAP: Yes; WI Air: Yes				

8030-78-2	Quaternary ammonium compounds, trimethyltallow alkyl, chlorides	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; FIFRA: Yes - Inert: F/NF; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
68424-85-1	Alkyl(C12-C16) dimethylbenzylammonium chloride	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; FIFRA: Yes - Active - 169135: CC, Inert: F/NF; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
34590-94-8	Dipropylene glycol methyl ether	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A PAIR; FIFRA: Yes - Active - 011508: Am, Inert: F/NF/Fr; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: No
68439-46-3	Alcohol ethoxylate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; FIFRA: Yes - Inert: F/NF/Fr; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
D l . t l		alle lunguum to the state of California to source company or

Regulatory Information: PROPOSITION 65 (Chemicals known to the state of California to cause cancer or reproductive toxicity): This product may contain traces of: Benzyl chloride (CAS 100-44-7)



such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.