Page: 1 of 7 Printed: 07/22/2022 Revision: 07/22/2022

Supersedes Revision: 07/07/2020

### 1. PRODUCT AND COMPANY IDENTIFICATION

HYDRO-CLEAN CARPET PART A **Product Name:** 

Artemis Bio-Solutions, LLC **Company Name:** 

14505 Torrey Chase Blvd Suite 205

Houston, TX 77014

**Email address:** info@artemisbiosolutions.com

**AAPCC Poison Help** +1 (800)424-9300 **Emergency Contact:** 

INFOTRAC (US Transportation) +1 (800)535-5053 CANUTEC (Canadian Transportation +1 (613)996-6666

Carpet cleaner to be used with HYDRO-CLEAN CARPET PART B **Product Category:** 

Carpet Cleaner **Intended Use:** 

## 2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 1 Skin Corrosion/Irritation, Category 3 Skin Sensitization, Category 1





**GHS Signal Word:** Danger

**GHS Hazard Phrases:** H316 - Causes mild skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

**GHS Precautionary Phrases:** P261 - Avoid breathing mist/vapors/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear eye protection.

P302+352 - IF ON SKIN: Wash with plenty of soap and water. P362+364 - Take off **GHS Response Phrases:** 

contaminated clothing and wash it before reuse. P333+313 - If skin irritation or rash

occurs, seek medical advice/attention.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a

POISON CENTER or doctor/physician.

**GHS Storage and Disposal** 

Phrases:

P501 - Dispose of contents and containers in accordance with local, regional, national,

and international regulations.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Hazardous Components (Chemical Name)	Concentration
68439-46-3	Alcohol ethoxylate	2.0 -10.0 %
1643-20-5	Lauramine oxide	1.0 -5.0 %
34590-94-8	Dipropylene glycol methyl ether	1.0 -5.0 %
1300-72-7	Sodium xylenesulfonate	1.0 -5.0 %
584-08-7	Potassium carbonate	1.0 -5.0 %
64-02-8	EDTA	1.0 -5.0 %
5989-27-5	Limonene	<=0.1 %

**Additional Composition** Information:

\*\*If Chemical Name/CAS No is "N/A" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

Page: 2 of 7
Printed: 07/22/2022
Revision: 07/22/2022

Supersedes Revision: 07/07/2020

### 4. FIRST AID MEASURES

**Emergency and First Aid** 

**Procedures:** 

**In Case of Inhalation:** If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid.

In Case of Skin Contact: Wash off with soap and plenty of water. Remove and wash contaminated clothing before

reuse. If skin irritation or rash occurs, seek medical advice/attention.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Remove contact lenses, if present and easy to do after 5 minutes and continue rinsing for an additional 15 minutes. Get medical attention immediately.

**In Case of Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse

mouth and slowly drink several glasses of water. Get medical aid if irritation develops and

persists.

**Note to Physician:** Treat symptomatically and supportively. Show this safety data sheet to the doctor in

attendance.

#### 5. FIRE FIGHTING MEASURES

Flash Pt: NA Method Used: Not Applicable

**Explosive Limits:** LEL: No data. UEL: No data.

Autoignition Pt: NA

Suitable Extinguishing Media: Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this

material.

Fire Fighting Instructions: Evacuate area and fight fire from a safe distance. As in any fire, wear a self-contained

breathing apparatus in pressure-demand, MSHA/NIOSH approved (or equivalent), and

full protective gear.

Flammable Properties and

Hazards:

Remove containers from fire area if you can do so without risk. Cool containers with water spray until well after the fire is out. Increases the flammability of readily oxidizable,

combustible, and organic materials.

**Hazardous Combustion** 

**Products:** 

High temperatures and fire conditions can result in the formation of carbon monoxide and

carbon dioxide, toxic vapors/fumes of. amines, and oxides of: nitrogen, sodium.

#### 6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures: Use proper personal protective equipment as indicated in Section 8.

**Environmental Precautions:** Avoid dispersal of spilled material and runoff from making contact with soil, waterways,

drains and sewers. Do not allow uncontrolled discharge of product into the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Steps To Be Taken In Case Material Is Released Or

Spilled:

Ensure adequate ventilation. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent further leakage or spillage if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Following product recovery, flush area with water.

Page: 3 of 7
Printed: 07/22/2022
Revision: 07/22/2022

Skin Absorption

Supersedes Revision: 07/07/2020

### 7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Keep away from heat, sparks and flame. Keep away from sources of ignition - No smoking. Avoid contact with eyes, skin, and clothing. Do not eat, drink, or smoke when

using. Do not ingest or inhale. Wash thoroughly after handling.

Precautions To Be Taken in

Storing:

Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away

from heat, sparks and flame. Store in original container. Protect containers against damage. Keep container closed to prevent drying out. Protect from sunlight. Store at

temperatures not exceeding 60°C/140°F.

Other Precautions: Handle in accordance with good industrial hygiene and safety practices. Keep out of

reach of children.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS # Chemical Name Jurisdiction Recommended Exposure Limits Notations

34590-94-8 Dipropylene glycol ACGIH TLV TLV: 100 ppm

methyl ether

STEL: 150 ppm

NIOSH TWA: 600 mg/m3 (100 ppm)

STEL: 900 mg/m3 (150 ppm)

OSHA PELs PEL: 100 ppm

**Respiratory Equipment** 

(Specify Type):

Not required under normal conditions of use with adequate ventilation.

**Eye Protection:** Wear safety glasses with side shields. If splash is likely, goggles may be needed.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to minimize contact with skin.

**Engineering Controls** 

Use with adequate ventilation. Facilities storing or utilizing this material should be

**(Ventilation etc.):** equipped with an eyewash facility, and a safety shower is recommended.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

**Environmental Exposure** 

Controls:

Avoid discharge into drains, water courses or onto the ground. Do not allow uncontrolled

discharge of product into the environment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [ ] Gas [ X ] Liquid [ ] Solid

**Appearance and Odor:** Appearance: Clear. Liquid. Colorless to pale yellow.

Odor: Slightly. Soap-like.

**pH**: 11 - 13

**Freezing Point:** 28.00 F (-2.2 C) **Boiling Point:** 212.00 F (100.0 C)

Flash Pt: NA Method Used: Not Applicable

Evaporation Rate: Not available

Flammability (solid, gas): No data available.

**Explosive Limits:** LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

20 MM HG at 20.0 C (68.0 F)

mm Hg):

Not available

Vapor Density (vs. Air = 1): 1.08 LB/CF

**Specific Gravity (Water =** 1 - 1.020 at 20.0 C (68.0 F)

1):

Page: 4 of 7 Printed: 07/22/2022 Revision: 07/22/2022

Supersedes Revision: 07/07/2020

8.45 LB/GA at 20.0 C (68.0 F) Density:

Solubility in Water: Complete **Saturated Vapor** Not available

Concentration:

Octanol/Water Partition

Coefficient:

No data.

NA **Autoignition Pt:** 

**Decomposition** 

No data.

Temperature:

Viscosity: Not available

Not explosive. **Explosive Properties:** 

Information with regard to primary physical hazard:

#### 10. STABILITY AND REACTIVITY

Not reactive at normal temperatures and pressures. Reactivity:

Stable [X] Stability: Unstable [ ]

Heat, flames and sparks. Extremes of temperature and direct sunlight. **Conditions To Avoid -**

Stable under recommended handling and storage conditions. Instability:

Incompatibility - Materials To Heavy metal salts, strong alkalis, combustible materials.

Avoid:

Hazardous Decomposition or High temperatures and fire conditions can result in the formation of carbon monoxide and

carbon dioxide, toxic vapors/fumes of. amines, and oxides of: nitrogen, sodium. **Byproducts:** 

**Possibility of Hazardous** 

Reactions:

Will occur [ ] Will not occur [X]

**Conditions To Avoid -**

**Hazardous Reactions:** 

No data available.

#### 11. TOXICOLOGICAL INFORMATION

Epidemiology: No information available. **Toxicological Information:** 

Teratogenicity: No information available.

Reproductive Effects: No information available.

Mutagenicity: No information available. Neurotoxicity: No information available. Other Studies: CAS# 68439-46-3:

Acute toxicity, LD50, Oral, Rat, 1378 mg/kg

Acute toxicity, LD50, Skin, Rabbit, > 2 g/kg.

Other Studies: CAS# 5989-27-5:

Acute toxicity, LD50, Oral, Rat, 4400 mg/kg Acute toxicity, LD50, Skin, Rabbit, 5gm/kg.

Other Studies: CAS# 1643-20-5:

Acute toxicity, LD50, Dermal, Rabbit: > 2000 mg/kg

Acute toxicity, LD50, Oral, Rat: 1064 mg/kg

Other Studies: CAS# 1300-72-7:

Acute toxicity, LD50, Oral, Rat, 7200 mg/kg

Acute toxicity, LD50, Dermal, Rabbit, > 2000 mg/kg.

Other Studies: CAS# 64-02-8:

Acute toxicity, LD50, Oral, Rat, 3030 mg/kg

Acute toxicity, LD50, Dermal, Rabbit, > 5000 mg/kg.

Page: 5 of 7 Printed: 07/22/2022 Revision: 07/22/2022

Supersedes Revision: 07/07/2020

**Irritation or Corrosion:** Causes serious eye damage.

Causes mild skin irritation.

May cause an allergic skin reaction.

Symptoms related to

Skin Contact: Prolonged and/or repeated contact may cause irritation and/or dermatitis.

Toxicological Characteristics: Inhalation: May cause respiratory tract irritation and coughing.

Ingestion: May cause nausea and vomiting.

Eye Contact: May cause severe irritation, tearing, and redness.

Sensitization: Sensitization possible by skin contact.

**Chronic Toxicological** 

May cause severe eye damage. If left untreated, may cause injury to the cornea.

Effects:

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

#### 12. ECOLOGICAL INFORMATION

**General Ecological** 

Information:

Environmental: No information available.

Physical: No information available. Other Studies: CAS# 5989-27-5:

LC50, Water Flea (Daphnia magna), 577 ug/L, 48H

LC50, Fathead Minnow (Pimephales promelas), 600 - 800 ug/L, 24H

Other Studies: CAS# 1643-20-5: LC50, Fish, 2.67 mg/L, 96H. Other Studies: CAS# 1300-72-7: LC50, Fish, >= 1000 mg/l, 96H

LC50, Water Flea (Daphnia), >= 1000 mg/l, 48H

LC50, Algae, >= 230 mg/kg, 72H. Other Studies: CAS# 64-02-8:

LC50, Pimephales promelas (fathead minnow), > 100 mg/l, 96 H LC50, Bluegill (Lepomis macrochirus), 157 - 2,070 mg/l, 96 H.

Other Studies: CAS# 68439-46-3:

LC50, Fathead Minnow (Pimephales promelas), 8500 ug/L, 96 H.

Results of PBT and vPvB

assessment:

No data available.

Persistence and

Degradability:

No data available.

**Bioaccumulative Potential:** No data available. **Mobility in Soil:** No data available.

#### 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** 

Dispose of contents and containers in accordance with local, regional, national, and international regulations. Avoid discharge into drains, water courses or onto the ground.

The generation of waste should be avoided or minimized whenever possible.

#### 14. TRANSPORT INFORMATION

Page: 6 of 7 Printed: 07/22/2022 Revision: 07/22/2022

Supersedes Revision: 07/07/2020

# LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** NOT REGULATED FOR DOMESTIC TRANSPORT.

DOT Hazard Class: UN/NA Number:

# 15. REGULATORY INFORMATION

13. REGULATORT INFORMATION							
EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists							
CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)			
68439-46-3	Alcohol ethoxylate	No	No	No			
1643-20-5	Lauramine oxide	No	No	No			
34590-94-8	Dipropylene glycol methyl ether	No	No	No			
1300-72-7	Sodium xylenesulfonate	No	No	No			
584-08-7	Potassium carbonate	No	No	No			
64-02-8	EDTA	No	No	No			
5989-27-5	Limonene	No	No	No			
CAS#	Hazardous Components (Chemical Name)	Other US EPA o	Other US EPA or State Lists				
68439-46-3	Alcohol ethoxylate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; FIFRA: Yes - Inert: F/NF/Fr; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No					
1643-20-5	Lauramine oxide	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; FIFRA: Yes - Inert: F/NF; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No					
34590-94-8	Dipropylene glycol methyl ether	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A PAIR; FIFRA: Yes - Active - 011508: Am, Inert: F/NF/Fr; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: No					
1300-72-7	Sodium xylenesulfonate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; FIFRA: Yes - Active - 079019: Am, Inert: F/NF; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No					
584-08-7	Potassium carbonate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; FIFRA: Yes - Active - 073504: Am/CC, Inert: F/NF; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No					
64-02-8	EDTA	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; FIFRA: Yes - Active - 039107: Unspecified, Inert: F/NF; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No					
5989-27-5	Limonene	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; FIFRA: Yes - Active - 179701: Unspecified, Inert: F/NF/Fr; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: Yes - Cat.; MI CMR, Part 5: No; NC TAP: No; NJ					

Page: 7 of 7

Printed: 07/22/2022

Revision: 07/22/2022

Supersedes Revision: 07/07/2020

EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI

Air: No

Regulatory Information: PROPOSITION 65 (Chemicals known to the state of California to cause cancer or

reproductive toxicity): This product may contain traces of: Benzyl chloride (CAS 100-44-7)

Ethylbenzene (CAS 100-41-4)

## **16. OTHER INFORMATION**

**Revision Date:** 07/22/2022 **Previous revision:** 07/07/2020

**Hazard Rating System:** 

Health 1 Special Hazard

Additional Information:

07/22/2022 Routine review and updates to section 1,2,3,4,5,11,12,15

Company Policy or Disclaimer:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to

the suitability of such information for his own particular use.