Page: 1 of 6 Printed: 07/22/2022 Revision: 07/22/2022

Supersedes Revision: 07/07/2020

1. PRODUCT AND COMPANY IDENTIFICATION

HYDRO-CLEAN LAUNDRY PART B **Product Name:**

Artemis Bio-Solutions, LLC **Company Name:**

14505 Torrey Chase Blvd Suite 205

Houston, TX 77014

Email address: info@artemisbiosolutions.com

AAPCC Poison Help +1 (800)424-9300 **Emergency Contact:**

INFOTRAC (US Transportation) +1 (800)535-5053 CANUTEC (Canadian Transportation +1 (613)996-6666

Product Category: Laundry cleaner to be used with HYDRO-CLEAN LAUNDRY PART A

Laundry Cleaner **Intended Use:**

2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 1A Serious Eye Damage/Eye Irritation, Category 1



GHS Signal Word: Danger

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

GHS Precautionary Phrases: P260 - Do not breathe mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. **GHS Response Phrases:**

> P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P363 - Wash contaminated clothing before reuse.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a

POISON CENTER or doctor/physician.

GHS Storage and Disposal

P405 - Store locked up. P501 - Dispose of contents and containers in accordance with

Phrases: local, regional, national, and international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS# **Hazardous Components (Chemical Name)** Concentration

7722-84-1 Hydrogen peroxide < 8.0 % < 5.0 % 7664-38-2 Phosphoric acid

Additional Composition

If Chemical Name/CAS No is "N/A" and/or Weight-% is listed as a range, the specific Information: chemical identity and/or percentage of composition has been withheld as a trade secret.

Page: 2 of 6
Printed: 07/22/2022
Revision: 07/22/2022

Supersedes Revision: 07/07/2020

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid.

In Case of Skin Contact: Wash off with soap and plenty of water. Remove and wash contaminated clothing before

reuse. If skin irritation or rash occurs, seek medical advice/attention.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Remove contact lenses, if present and easy to do after 5 minutes and continue rinsing for an additional 15 minutes. Get medical attention immediately.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse

mouth and slowly drink several glasses of water. Get medical attention immediately.

Note to Physician: Treat symptomatically and supportively. Show this safety data sheet to the doctor in

attendance.

5. FIRE FIGHTING MEASURES

Flash Pt: NA Method Used: Not Applicable

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: NA

Suitable Extinguishing Media: Use water. Do not use dry chemicals or foams. CO2 or Halon may provide limited

control.

Fire Fighting Instructions: Use extinguishing media appropriate for surrounding fire. As in any fire, wear a

self-contained breathing apparatus in pressure-demand, MSHA/NIOSH approved (or

equivalent), and full protective gear.

Flammable Properties and

Hazards:

Decomposition produces oxygen which support combustion. Remove containers from fire area if you can do so without risk. Cool containers with water spray until well after the fire

is out.

Hazardous Combustion

Products:

High temperatures and fire conditions can result in the formation of carbon monoxide and

carbon dioxide, and oxides of: phosphorus.

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures: Use proper personal protective equipment as indicated in Section 8.

Environmental Precautions:

Avoid discharge into drains, water courses or onto the ground. Do not allow uncontrolled discharge of product into the environment. Inform the relevant authorities if the product

has caused environmental pollution (sewers, waterways, soil or air).

Steps To Be Taken In Case Material Is Released Or Spilled: Ensure adequate ventilation. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent further leakage or spillage if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Following product recovery, flush area with water.

7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Use with adequate ventilation. Keep away from heat, sparks and flame. Keep away from sources of ignition - No smoking. Avoid contact with eyes, skin, and clothing. Do not eat, drink, or smoke when using. Do not ingest or inhale. Wash thoroughly after handling.

Precautions To Be Taken in Storing:

en in Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from heat, sparks and flame. Keep away from sources of ignition - No smoking. Store away from oxidizers. Keep from freezing. Protect from sunlight. Protect containers

Page: 3 of 6
Printed: 07/22/2022
Revision: 07/22/2022

Supersedes Revision: 07/07/2020

against damage. Keep container tightly closed when not in use. Ideal storage

temperature is 60 - 68F.

Other Precautions: Handle in accordance with good industrial hygiene and safety practices. Keep out of

reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS#	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
7722-84-1	Hydrogen peroxide	ACGIH TLV	TLV: 1 ppm	
		NIOSH	TWA: 1.4 mg/m3 (1 ppm)	
		OSHA PELs	PEL: 1 ppm	
7664-38-2	Phosphoric acid	ACGIH TLV	TLV: 1 mg/m3 STEL: 3 mg/m3	
		NIOSH	TWA: 1 mg/m3 STEL: 3 mg/m3	
		OSHA PELs	PEL: 1 mg/m3	

Respiratory Equipment

(Specify Type):

Not required under normal conditions of use with adequate ventilation.

Eye Protection: Wear safety glasses with side shields. If splash is likely, goggles may be needed.

Protective Gloves: Wear appropriate gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

Use with adequate ventilation. Facilities storing or utilizing this material should be

(Ventilation etc.):

equipped with an eyewash facility, and a safety shower is recommended.

Work/Hygienic/Maintenance Handle in acc

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

Environmental Exposure

Controls:

Avoid discharge into drains, water courses or onto the ground. Do not allow uncontrolled

discharge of product into the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Appearance: Clear. Liquid. Colorless to pale yellow.

Odor: Odorless.

pH: 1 - 2

Melting Point: -2.00 C (28.4 F) **Boiling Point:** 100.00 C (212.0 F)

Flash Pt: NA Method Used: Not Applicable

Evaporation Rate: Not available
Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

mm Hg):

20 MM_HG at 20.0 C (68.0 F)

Not available

Vapor Density (vs. Air = 1): 1.08 LB/CF

vapor belisity (vs. All - 1).

Specific Gravity (Water =

1.03 - 1.04

1

1.04 at 20.0 C (68.0 F)

1):

Density: 8.6 at 20.0 C (68.0 F)

Solubility in Water: NA Soluble
Saturated Vapor Not available

Concentration:

Page: 4 of 6
Printed: 07/22/2022
Revision: 07/22/2022

Supersedes Revision: 07/07/2020

Octanol/Water Partition

Coefficient:

No data.

Autoignition Pt:

NA

Decomposition

No data.

Temperature:

Viscosity: Not available

Information with regard to primary physical hazard:

10. STABILITY AND REACTIVITY

Reactivity: Not reactive at normal temperatures and pressures.

Stability: Unstable [] Stable [X]

Conditions To Avoid - Heat, flames and sparks. Extremes of temperature and direct sunlight.

Instability: Stable under recommended handling and storage conditions.

Incompatibility - Materials To Heavy metals, Alkalis, combustible materials.

Avoid:

Hazardous Decomposition or High temperatures and fire conditions can result in the formation of carbon monoxide and

Byproducts: carbon dioxide, and oxides of: phosphorus, Decomposition produces oxygen which

support combustion.

Possibility of Hazardous

Reactions:

Will occur [] Will not occur [X]

Conditions To Avoid -

No data available.

Hazardous Reactions:

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Epidemiology: No information available.

Teratogenicity: No information available.

Reproductive Effects: No information available.

Mutagenicity: No information available. Neurotoxicity: No information available.

Other Studies: CAS# 7664-39-3:

Acute toxicity, LC50, Inhalation, Rat, 1276ppm, 1 H.

Other Studies: CAS# 7664-39-3:

Standard Draize Test, Eyes, Species: Human, 50 mg.

Other Studies: CAS# 7664-38-2:

Acute toxicity, LD50, Oral, Rat, 1530 mg/kg Acute toxicity, LD50, Skin, Rabbit, 2740 mg/kg

Acute toxicity, LC50, Inhalation, Rat, 850.0 mg/m3, 1 H.

Other Studies: CAS# 7664-38-2:

Standard Draize Test, Eyes, Species:Rabbit, 119.0 mg.

Irritation or Corrosion: Causes severe skin burns and eye damage.

Causes serious eye damage.

Symptoms related to Skin Contact: May cause severe irritation, local redness, and chemical burns, if

Toxicological Characteristics: untreated.

Inhalation: May cause respiratory tract irritation and coughing.

Ingestion: May cause nausea and vomiting.

Eye Contact: May cause severe irritation, tearing, and redness. May cause severe eye

damage.

Page: 5 of 6 Printed: 07/22/2022 Revision: 07/22/2022

Supersedes Revision: 07/07/2020

Chronic Toxicological

Effects:

May cause severe eye damage. If left untreated, may cause injury to the cornea.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. ECOLOGICAL INFORMATION

General Ecological Environmental: No information available.

Information: Physical: No information available.

Other Studies: CAS# 7664-38-2:

Not reported. Rainbow Trout (Oncorhynchus mykiss), fingerling, 5.190%, 27 W.

Other Studies: CAS# 7722-84-1:

LC50, Bluegill (Lepomis macrochirus), 26.7 ppm, 96H, juvenile LC50, Rainbow trout (Oncorhynchus mykiss), 207 ppm, 2H, fry.

Results of PBT and vPvB

assessment:

No data available.

Persistence and Degradability:

No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of contents and containers in accordance with local, regional, national, and

international regulations. Avoid discharge into drains, water courses or onto the ground.

The generation of waste should be avoided or minimized whenever possible.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NOT REGULATED FOR DOMESTIC TRANSPORT.

DOT Hazard Class: UN/NA Number:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

7722-84-1 Hydrogen peroxide Yes 1000 LB No No 7664-38-2 Phosphoric acid No Yes NA No

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

7722-84-1 Hydrogen peroxide CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; FIFRA: Yes - Active - 000595: Am/Bio/CC, Inert: NF; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 1015; NY Part 597: Yes: HS; PA HSL: Yes - E; SC TAP: No; WI Air:

Yes

7664-38-2 Phosphoric acid CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; FIFRA: Yes - Active - 076001: Am/CC, Inert: F/NF; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIb, Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: No; NY Part 597: Yes: HS; PA HSL: Yes - E; SC TAP:

Yes; WI Air: Yes

Page: 6 of 6 Printed: 07/22/2022 Revision: 07/22/2022

Supersedes Revision: 07/07/2020

16. OTHER INFORMATION

Revision Date: 07/22/2022 **Previous revision:** 07/07/2020

Hazard Rating System:

Flammability Instability
Health OX
NFPA: Special Hazard

Additional Information:

07/22/2022 Routine review and updates to section 1, 2, 3, 4, 5, 6, 8, 10, 11, 12

Company Policy or Disclaimer:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to

the suitability of such information for his own particular use.