









OXIDIZES FENTANYL, XYLAZINE & HEROIN IN 60 SECONDS

- FRAGRANCE-FREE
- NO RINSE REQUIRED
- NON-FLAMMABLE

DIRECTIONS FOR USE: For trace (nonvisible) amounts of suspected narcotics, apply SoRite DECON directly to nonporous surfaces to be treated with mechanical spray device, hand pump or coarse trigger spray device spraying 6-8 inches from the surface. Treated surfaces must remain visibly wet for at least 60 seconds. Wipe dry with a clean cloth or allow to air dry. Do not spray visible powder directly with any forced spray device, as narcotic powder may become airborne. To decontaminate small amounts of visible powder (up to the size of a pencil eraser), it is advisable to wear nitrile gloves, N-95 mask, and eye protection: (1) carefully place a SoRite DECON towelette or a clean cloth soaked in SoRite DECON over the powder and press down gently (2) spray sufficient SoRite DECON onto and through the towelette or cloth to completely saturate the powder (at least 3 ounces of SoRite DECON for a pencil eraser size of powder) and let sit for at least 60 seconds, then (3) wipe up powder and SoRite DECON with towelette and dispose of towelette & glove in a sealed bag or container. Call trained narcotics remediator if more than a pencil eraser amount is encountered.

PATENT #11,944,097 Additional Patents Pending



DECON

READY-TO-USE

PROFESSIONAL GRADE DECONTAMINANT FOR FORCED DEGRADATION OF NARCOTICS

Watch Instructional Videos www.SoRiteDecon.com



KEEP OUT OF REACH OF CHILDREN Net Contents: 3 oz (88.7206ml)

DISCLAIMER: WHILE SORITE DECON IS INTENDED TO REDUCE THE THREAT OF ACCIDENTAL EXPOSURE TO FENTANYL AND OTHER NARCOTICS, HANDLING AND DECONTAMINTAION OF FENTANYL AND OTHER NARCOTICS IS INHERENTLY DANGEROUS, ASEPTIC HEALTH AND ITS DISTRIBUTORS DISCLAIM ANY AND ALL LIABILITY FOR ANY INJURIES OR DAMAGES INCURRED BY YOU FROM THE INHERENT DANGERS OF EXPOSURE TO FENTANYL OR OTHER NARCOTICS WHILE USING THE SORITE DECON PRODUCT.

STORAGE AND DISPOSAL Contents under pressure. Do not expose to heat or open flame, or store at temperatures above 120°F (49°C). Do not puncture or incinerate container. Store airtight at room temperature in areas inaccessible to small children. Nonrefillable container. Offer empty container for recycling. If recycling is not available, discard in trash. If you have a partially used canister of SoRite DECON or if it is beyond its expiration date, dispose of or recýcle.

Fentanyl and other narcotics are a health hazard. Wear appropriate personal protective equipment. IF IN EYES: Rinse eyes with clean, cool water for a full 15 winders. IF CONSUMED: Do not induce vomiting. Drink a glass of water. Refer to SDS for further details: www.SoRiteDECON.

Manufactured for Aseptic Health, LLC ©All Rights Reserved aseptichealth.com 1109 Woodland St. #68223 Nashville, TN 37206

U.S. Customer Service: (888) 379-3232 NOTICE: Seller expressly warrants that this PRODUCT performs as described. There are no other warranties associated with the sale of this PRODUCT. **Proudly Made**

In the USA.





30z BOV 6-10-24 indd 1 6/13/24 10:00 AM